

NEWS

CERSAIE '21



ÍNDICE TIPOLÓGICO - TYPOLOGICAL INDEX

PIEDRAS STONES		CEMENTOS CONCRETES		MÁRMOLES MARBLES		MADERAS WOODS	
CASTLEFORD	8	ROHE	26	ANIMA	38	LARIX	60
EREBOR	14			ATREO	42		
VALAIS	18			LUXOR	46		
				MARKINA GOLD	50		
				URANO	54		

ÍNDICE ALFABÉTICO - ALPHABETICAL INDEX

	PUL		PP										RB	RR		PR
	120X120 RC	60X120 RC	60X120 RC	100X100 RC	60X60 RC	60X60 RC 20mm	60X60	30X60	45X45	30X150 RC	23X120 RC	15X90	33.3X90 RC	30X60	20X60	45X45
ANIMA	38	38														
ATREO	42	42														
CASTLEFORD						10	8	8								
EREBOR						14										
LARIX										60	60	60				
LUXOR														46		48
MARKINA GOLD	50	50														
ROHE		26	28	28	28	30							32		34	
URANO		54														
VALAIS					18	20		18								

SIMBOLOGÍA - SYMBOLOGY

PUL PORCELÁNICO PULIDO POLISHED PORCELAIN	PP PORCELÁNICO PORCELAIN TILES	PR PAVIMENTO PASTA ROJA RED BODY FLOOR TILES	RB REVESTIMIENTO PASTA BLANCA WHITE BODY WALL TILES	RR REVESTIMIENTO PASTA ROJA RED BODY WALL TILES
PAVIMENTO FLOOR TILES	REVESTIMIENTO WALL TILES	MATE MATT	BRILLO GLOSS	PULIDO POLISHED
PASTA BLANCA WHITE BODY	PASTA ROJA RED BODY	MULTI TONO MULTI TONE	ANTI-HIELO FROST PROOF	DIFERENTES GRÁFICAS DIFFERENT PRINTINGS
PORCELÁNICO EXTERIOR OUTDOOR PORCELAIN		STARLIGHT PORCELÁNICO PULIDO POLISHED PORCELAIN		SLIP-STOP

UN PAVIMENTO, MÚLTIPLES APLICACIONES

Slip-stop, el nuevo porcelánico antideslizante de Alaplana, combina de manera perfecta, rendimiento estética y versatilidad. Una única textura, suave y fácil de limpiar, perfecta para cualquier pavimento, y con altas prestaciones antideslizantes.

- Antideslizante con una suave y agradable textura
- Fácil limpieza y sin ningún mantenimiento adicional
- Sin cambios entre diferentes espacios de interior, exterior, o zonas húmedas
- Multitud de formatos y acabados estéticos, para todos los gustos
- No necesita colocaciones especiales
- Resistente al hielo, a los ataques químicos y a los agentes atmosféricos
- Mantiene inalteradas en el tiempo sus excepcionales calidades técnicas

ONE FLOOR TILE, MULTIPLE APPLICATIONS

Slip-stop, the new Alaplana anti-slip porcelain tile, combines, in the best possible ways, performance, esthetic and adaptability. Only one texture, soft, smooth and easy to clean, perfect for any floor tile, with high anti-slip performances.

- Anti slip with a soft and pleasant texture
- Fast and easy cleaning, with no additional maintenance
- No changes from indoor to outdoor or to wet and humid areas
- Various sizes and aesthetic finishes for infinite types of preferences
- No special laying
- Frost proof and chemical products resistance
- Characteristics remain unchanged in time



DÓNDE COLOCAR - WHERE TO TILE



TERRAZAS
TERRACES



CAMINOS DE ENTRADA
DRIVEWAYS



PARKING
PARKING



PLAYAS
BEACHES



PISCINAS
SWIMMING POOLS



ESPACIOS URBANOS
URBAN SPACES



RESORTS Y SPAS
RESORTS & SPAS



ZONAS INDUSTRIALES
INDUSTRIAL ZONES

VENTAJAS - ADVANTAGES



RESISTENCIA A ÁCIDOS
ACID RESISTANCE



RESISTENCIA A LA HELADA
FROST RESISTANCE



RESISTENCIA AL SOL
SUN RESISTANCE



RESISTENCIA AL FUEGO
FIRE RESISTANCE



RESISTENCIA A LA FLEXIÓN
FLEXION RESISTANCE



COLORES ESTABLES
STABLE COLORS



FÁCILMENTE REEMPLAZABLE
EASILY REPLACED



ANTIDESLIZANTE
ANTI-SLIP

TIPOS DE COLOCACIÓN - WAYS OF LAYING THE TILE



- 1 Colocación sobreelevada con uso de plots*
Elevated placement with plots*.
- 2 Colocación sobre grava / arena.
Placement on gravel or sand.
- 3 Colocación sobre césped.
Placement on grass.
- 4 Colocación tradicional.
Traditional placement.

*
Alaplana recomienda el uso de **5 plots** para piezas de **60x60cm**.
Alaplana recommends the use of **5 plots** for pieces of **23,4"x23,4"**.

Alaplana recomienda el uso de **6 plots** para piezas de **40x120cm**.
Alaplana recommends the use of **6 plots** for pieces of **15,7"x47,2"**.

CARACTERÍSTICAS TÉCNICAS TECHNICAL FEATURES	NORMA STANDARD	VALOR PRESCRITO VALUE REQUIRED	VALOR MEDIO AVERAGE VALUE
RESISTENCIA AL DESLIZAMIENTO SLIP RESISTANCE	DIN 51130:2014-5	R	R11
	UNE-ENV 12633:20	CTE	C3
	ANSI A137. 1:2012.9.6	DCOF	>0,62
	BS 7976-2:2002 + A1:2013	PTV	DRY=62 WET=46

CARACTERÍSTICAS TÉCNICAS TECHNICAL FEATURES	NORMA STANDARD	VALOR PRESCRITO VALUE REQUIRED	20 THICK
ABSORCIÓN DE AGUA · WATER ABSORTION	UNE-EN-ISO 10545 - 3	E<0,5%	CUMPLE · ACCOMPLISH
FUERZA DE ROTURA · BREAKING STRENGTH	UNE EN ISO 10545 - 4	> 1300N	CUMPLE · ACCOMPLISH
RESISTENCIA A LA FLEXIÓN · FLEXION RESISTANCE	UNE EN ISO 10545 - 4	>35N/mm²	CUMPLE · ACCOMPLISH
ABRASIÓN SUPERFICIAL · SURFACE ABRASION	UNE EN ISO 10545 - 7	PEI	PEI III / IV
RESISTENCIA AL CUARTEO · CRACKING RESISTANCE	UNE EN ISO 10545 - 11	ENSAYO · TEST	CUMPLE · ACCOMPLISH
RESISTENCIA A LA HELADA · FROST RESISTANCE	UNE EN ISO 10545 - 12	ENSAYO · TEST	CUMPLE · ACCOMPLISH
RESISTENCIA A ÁCIDOS · ACID RESISTANCE	UNE EN ISO 10545 - 13	GHA	CUMPLE · ACCOMPLISH
RESISTENCIA A BASES · ALKALINE RESISTANCE	UNE EN ISO 10545 - 13	GHA	CUMPLE · ACCOMPLISH
RESISTENCIA A MANCHAS · STAIN RESISTANCE	UNE EN ISO 10545 - 14	≥3	CUMPLE · ACCOMPLISH
RESISTENCIA AL DESLIZAMIENTO · SLIP RESISTANCE	DIN 51130:2014-5	R	R11
	UNE-ENV 12633:2003	CTE	CLASE 3
	ANSI A137. 1:2012. 9.6	D.C.O.F.	>0,42
RESISTENCIA AL RAYADO · HARDNESS	EN 101	MOHS	>3 - CUMPLE · ACCOMPLISH



PIEDRAS *STONES*

CASTLEFORD
EREBOR
VALAIS




CASTLEFORD BLANCO 60x60 | 30x60


PORCELÁNICO

CASTLEFORD

PORCELAIN



BLANCO	PP0702
GRIS	PP0702
NATURAL	PP0703




BLANCO	PP0602
GRIS	PP0602
NATURAL	PP0603



BLANCO



GRIS



NATURAL




CASTLEFORD NATURAL 60x60 20mm

PORCELÁNICO
20thick

CASTLEFORD

PORCELAIN
20thick



BLANCO	PP2702
GRIS	PP2703
NATURAL	PP2704



BLANCO



GRIS



NATURAL





PORCELÁNICO
20^{thick}

EREBOR

PORCELAIN
20^{thick}



60x60cm RC
23.4"x23.4" RC

GRIS	PP2702
BEIGE	PP2703



GRIS




BEIGE






GRIS	PP2602
ANTRACITA	PP2604
BEIGE	PP2603



GRIS	PP0602
ANTRACITA	PP0604
BEIGE	PP0603



GRIS



ANTRACITA



BEIGE



VALAIS BEIGE 60x60 20mm

PORCELÁNICO
20thick

VALAIS

PORCELAIN
20thick



60x60cm RC
23.4"x23.4" RC

GRIS	PP2702
ANTRACITA	PP2704
BEIGE	PP2703



GRIS



ANTRACITA



BEIGE





CEMENTOS *CONCRETES*

ROHE



PORCELÁNICO PULIDO
STARLIGHT

ROHE

POLISHED PORCELAIN
STARLIGHT



60x120cm RC
23.2"x46.8" RC

SNOW	PUL021
PEARL	PUL021
CREAM	PUL021



SNOW



PEARL




CREAM




PORCELÁNICO

ROHE


PORCELAIN



100x100cm RC 39.3"x39.3" RC	
SNOW	PP2302
PEARL	PP2303
CREAM	PP2302



60x120cm RC 23.6"x47.2" RC	
SNOW	PP2402
PEARL	PP2403
CREAM	PP2402



60x60cm RC 23.4"x23.4" RC	
SNOW	PP2602
PEARL	PP2603
CREAM	PP2602



SNOW



PEARL



CREAM




ROHE SILVER | COLD STONES 60x60 20mm

PORCELÁNICO
20thick

ROHE

PORCELAIN
20thick



SILVER	PP2702
GREY	PP2702
ANTHRACITE	PP2703
BEIGE	PP2702
COLD STONES	PP2704
WARM STONES	PP2703



BEIGE



SILVER



WARM STONES



GREY



COLD STONES



ANTHRACITE



REVESTIMIENTO PASTA BLANCA

ROHE

WHITE BODY WALL TILES




33.3x90cm RC
13.1"x35.4" RC

SNOW	RB1111
PEARL	RB1112
CREAM	RB1111
SNOW MOSAIC	RB1113
PEARL MOSAIC	RB1114
CREAM MOSAIC	RB1113



SNOW MOSAIC



SNOW



PEARL MOSAIC



PEARL



CREAM MOSAIC



CREAM



ROHE CREAM | WARM MOSAIC 20x60 | ROHE CREAM 60x60 RC

REVESTIMIENTO PASTA ROJA

ROHE

RED BODY WALL TILES




20x60cm 7.8"x23.6"	
SNOW	RR2002
PEARL	RR2002
CREAM	RR2002
COLD MOSAIC	RR2004
WARM MOSAIC	RR2004



SNOW



WARM MOSAIC



COLD MOSAIC



CREAM



PEARL



MÁRMOLES *MARBLES*


ANIMA
ATREO
LUXOR
MARKINA GOLD
URANO



PORCELÁNICO PULIDO
STARLIGHT


ANIMA

POLISHED PORCELAIN
STARLIGHT




120x120cm RC
46.8"x46.8" RC

GRIS	PUL001
ANTRACITA	PUL005



60x120cm RC
23.2"x46.8" RC

GRIS	PUL021
ANTRACITA	PUL025



GRIS



ANTRACITA






PORCELÁNICO PULIDO
STARLIGHT

ATREO


POLISHED PORCELAIN
STARLIGHT



120x120cm RC
46.8"x46.8" RC

BEIGE

PUL001



60x120cm RC
23.2"x46.8" RC

BEIGE

PUL021







REVESTIMIENTO PASTA ROJA

LUXOR

RED BODY WALL TILES



30x60cm
11.8"x23.6"

PERLA	RR1903
GRIS	RR1903
CREMA	RR1903
BEIGE	RR1903
GRIS MOSAIC	RR1905
BEIGE MOSAIC	RR1905



CREMA



PERLA



BEIGE MOSAIC




GRIS MOSAIC



BEIGE



GRIS



45x45cm	
17.7"x17.7"	
PERLA	PR0503
GRIS	PR0503
CREMA	PR0503
BEIGE	PR0503



PERLA



GRIS



CREMA




BEIGE



PORCELÁNICO PULIDO
STARLIGHT

MARKINA GOLD


POLISHED PORCELAIN
STARLIGHT



120x120cm RC
46.8"x46.8" RC

MARKINA GOLD

PUL005



60x120cm RC
23.4"x46.8" RC

MARKINA GOLD

PUL025







PORCELÁNICO PULIDO
STARLIGHT


URANO

POLISHED PORCELAIN
STARLIGHT




60x120cm RC
23.2"x46.8" RC

GREY	PUL021
BLUE	PUL023
BEIGE	PUL021



GREY



BLUE



BEIGE





www.nuevalaplana.es

MADERAS *WOODS*

LARIX

alaplana.
CERÁMICA



LARIX HAYA 23x120 RC

PORCELÁNICO

LARIX

PORCELAIN




30x150cm RC 11.8"x58.9" RC	
HAYA	PP2503
ROBLE	PP2503
WENGUE	PP2504
GRIS	PP2502

23x120cm RC 9"x47.2" RC	
HAYA	PP2203
ROBLE	PP2203
WENGUE	PP2204
GRIS	PP2202

15x90cm 5.9"x35.4"	
HAYA	PP1903
ROBLE	PP1904
WENGUE	PP1904
GRIS	PP1902



HAYA



ROBLE



WENGUE



GRIS



PACKING LIST

							PALET NORMAL				
	Formato - Size	Pzas/Cj	M2/Cj	Kg/Cj	Pzs/m2	Kg/m2	Altura	Pzas/Pal	Cjas/Pal	M2/Pal	Kg/Pal
RR	20X60	13	1,56	22,71	8,33	15,22	90	832	64	99,84	1.470,00
	20X60 Relieves	11	1,32	22,08	8,33	16,73	90	704	64	84,48	1.415,00
PR	45X45	7	1,42	26,56	4,93	18,69	100	448	64	90,88	1.715,00

							EUROPALET				
	Formato - Size	Pzas/Cj	M2/Cj	Kg/Cj	Pzas/m2	Kg/m2	Altura	Pzas/Pal	Cjas/Pal	M2/Pal	Kg/Pal
RR	20x60	13	1,56	22,92	8,33	14,56	93	624	48	74,88	1.120,00
	20X60 Relieves	11	1,32	22,29	8,33	16,89	93	528	48	63,36	1.090,00
	30x60	10	1,80	26,66	5,56	14,81	103	480	48	86,40	1.300,00
	30X60 Relieves	9	1,62	25,83	5,56	15,94	103	432	48	77,76	1.260,00
RB	33,3x90 RC	4	1,19	21,90	3,34	18,27	80	200	50	59,94	1.110,00
	33,3x90 RC Relieves	4	1,19	21,30	3,34	17,77	80	200	50	59,94	1.080,00
PR	45x45	7	1,42	26,53	4,93	18,69	103	364	52	73,84	1.400,00
PP	30x60	7	1,26	22,92	5,56	18,19	73	336	48	60,48	1.120,00
	60x60	4	1,44	29,17	2,78	20,25	73	144	36	51,84	1.070,00
	60x60 RC	4	1,42	28,47	2,82	20,11	73	144	36	50,98	1.045,00
	60X60 RC 20mm	2	0,70	27,50	2,82	38,84	73	72	36	25,49	1.010,00
	60x120 RC	2	1,43	31,25	1,40	21,00	73	80	40	57,12	1.270,00
	100x100 RC	2	1,98	43,33	1,01	21,88	74	48	24	47,52	1.060,00
	15x90	9	1,2	22,29	7,41	18,35	73	432	48	58,32	1.090,00
	23x120 RC	4	1,08	22,22	3,69	20,20	82	216	54	58,59	1.220,00
	30x150 RC	3	1,35	29,52	2,23	21,94	73	126	42	56,51	1.240,00
PUL	60X120CM RC	2	1,41	34,44	1,42	24,12	77	72	36	50,55	1.260,00
	120X120CM RC	1	1,42	34,50	0,70	24,36	77	36	36	50,98	1.300,00