

H A V S T A

KTLC
CERAMICA

Havsta

PORCELÁNICO ESMALTADO / GLAZED PORCELAIN TILE

Havsta Camel 30x150 R



12”x60”R 30x150 R



Havsta Natural 30x150 R

G431R



Havsta Beige 30x150 R

G433R



Havsta Camel 30x150 R


G432R



Havsta Brown 30x150 R


G433R

Havsta Beige 23x120 R



Havsta Natural 23x120 R

G343R



Havsta Beige 23x120 R

G346R



Havsta Camel 23x120 R

G345R



Havsta Brown 23x120 R

G346R

Technical Characteristics

Características técnicas

DESCRIPCIÓN DEL TEST TEST DESCRIPTION		NORMA STANDARD	GRUPO B1a Porcelánico esmaltado Glazed Porcelain Tile
Absorción de agua / Water absorption		UNE-EN ISO 10545-3	Ev ≤ 0,5%
Fuerza de rotura / Breaking Strength		UNE-EN ISO 10545-4	≥ 1300 N
Resistencia a la flexión / Modulus of rupture		UNE-EN ISO 10545-4	≥ 35 N/mm ²
Abrasion superficial / Surface Abrasion		UNE-EN-ISO 10545-7	A consultar según modelo Consult according to model
Resistencia al cuarteo / Crazeing resistance		UNE-EN ISO 10545-11	Requerido Requested
Resistencia a la helada / Frost resistance		UNE-EN ISO 10545-12	Requerido Requested
Resistencia química Chemical resistance	Productos domésticos y de piscina Household chemicals and swimming pool salts	UNE-EN ISO 10545-13	Mínimo clase B Minimum class B
	Ácidos a baja concentración Low concentration of acids	UNE-EN ISO 10545-13	Mínimo clase LB Minimum class LB
	Bases a baja concentración Low concentration of alkalis	UNE-EN ISO 10545-13	Mínimo clase LB Minimum class LB
Resistencia a las manchas / Stain resistance		UNE-EN ISO 10545-14	Mínimo clase 3 Minimum Class 3

Symbology

Simbología

									
NOVEDAD NEW SERIES	PORCELÁNICO ESMALTADO GLAZED PORCELAIN TILES	RECTIFICADO RECTIFIED	MADERA WOOD	ANTIHELIO ANTIFREEZE	MODERADA VARIACIÓN MODERATE VARIATION	GRAN FORMATO BIG FOMAT	RELIEVE RELIEF	MATE MATT	DIFERENTES GRÁFICAS DIFFERENT GRAPHICS

Packing List

Formato nominal	Formato de trabajo Work size	Espesor (mm)	PZAS/CJ	M2/CJ	KG/CJ	PZAS/M2	KG/M2	CJAS/PAL	M2/PAL	KG/PAL
23x120 R	22,7x119,5 R	9,7	4	1,00	22,22	3,69	20,56	54	58,60	1.220
30x150 R	30x149,5 R	10	3	1,35	29,52	2,23	21,68	42	56,51	1.240

© Copyright KTL, S.L.U.

Reservados todos los derechos.

KTL se reserva el derecho de modificar las características de sus productos sin preaviso de ningún tipo.

Los acabados se dan a título indicativo, quedando bajo reserva los ajustes de los colores consecuencia de las técnicas de impresión. Por ello las fotografías de los productos expuestos no son contractuales.

All rights reserved.

KTL reserves the right to change the characteristics of its products without prior notice.

Information about the finishes of the goods is only provided as a guide. As a result of the printing techniques there might be differences between the colours printed in this catalogue and these of the real products. Colours shown in this catalogue are not contractual.

KTL
CERÁMICA

Partida Casablanca nº 6 / 12593 Moncofar, Castellón. Spain

Phone: +34 964 584 069 / e-mail: info@ktlceramica.com / web: www.ktlceramica.com