


VICTORIAN DREAMS



Kerlife
CERÁMICAS



VICTORIAN DREAMS

Las baldosas estilo victoriano tienen una rica historia que se remonta a la era victoriana en Gran Bretaña (1837-1901), durante el reinado de la reina Victoria. Este periodo estuvo marcado por un resurgimiento del arte y la arquitectura, influenciado por movimientos como el gótico y el neoclásico, y las baldosas no fueron la excepción. Estas piezas decorativas se convirtieron en una característica clave en la arquitectura de la época.

Victorian-style tiles have a rich history that dates back to the Victorian era in Britain (1837-1901), during the reign of Queen Victoria. This period was marked by a revival of art and architecture, influenced by movements such as Gothic and Neoclassical, and tiles were no exception. These decorative pieces became a key feature in the architecture of the time.

Les carreaux de style victorien ont une riche histoire qui remonte à l'époque victorienne en Grande-Bretagne (1837-1901), sous le règne de la reine Victoria. Cette période a été marquée par un renouveau de l'art et de l'architecture, influencée par des mouvements tels que le gothique et le néoclassique, et les carreaux n'ont pas fait exception. Ces pièces décoratives sont devenues un élément clé de l'architecture de l'époque.

Ker*life*
CERAMICAS

VICTORIAN DREAMS

ÍNDICE

INDEX · INDICE

by DESIGN

PRE-CUT 7,37x7,37 CM

BEDFORD	p. 9
BRISTOL	p. 8
MANCHESTER	p. 10
QUEEN	p. 11
WINDSOR	p. 12

BORDERS

CENEFA BRISTOL	p. 29
TACO BRISTOL	p. 29

MERCHANDISING

WATERFALL	p. 33
-----------	-------

Technical SPECS

FITTING RECOMENDATION	p. 39
ICONOGRAPHY	p. 37
PACKING	p. 37
TECHINCAL SHEET	p. 38

by COLOR

BLACK

BEDFORD	p. 25
BRISTOL	p. 25
QUEEN	p. 25
WINDSOR	p. 25

BLUE

BRISTOL	p. 26
MANCHESTER	p. 26
QUEEN	p. 26
WINDSOR	p. 26

GREEN

BRISTOL	p. 27
MANCHESTER	p. 27
QUEEN	p. 27
WINDSOR	p. 27

¿ Quieres crear tu propio diseño? Preguntanos!

Would you like to create your own design? Feel free to ask!

Souhaitez-vous créer votre propre design ? N'hésitez pas à demander !

VICTORIAN DREAMS

GET INSPIRED

by available

. DESIGN .

VICTORIAN DREAMS

BRISTOL


Las baldosas victorianas se caracterizan por sus patrones geométricos intrincados, que a menudo combinaban formas como cuadrados, triángulos y octógonos en complejos mosaicos. Estos patrones solían ser policromáticos, con una paleta de colores limitada pero armoniosa que incluía tonos como el negro, el blanco, el rojo, el verde y el azul. Aparte de los clásicos, actualmente se encuentran en una variedad más amplia de colores y acabados, permitiendo personalizaciones según las tendencias actuales de diseño.

Victorian tiles are characterized by their intricate geometric patterns, often combining shapes like squares, triangles, and octagons in complex mosaics. These patterns were typically polychromatic, with a limited yet harmonious color palette that included shades such as black, white, red, green, and blue. In addition to the classics, they are now available in a wider variety of colors and finishes, allowing for customization according to current design trends.


Les carreaux victoriens se caractérisent par leurs motifs géométriques complexes, qui combinaient souvent des formes comme des carrés, des triangles et des octogones dans des mosaïques complexes. Ces motifs étaient généralement polychromatiques, avec une palette de couleurs limitée mais harmonieuse comprenant des teintes telles que le noir, le blanc, le rouge, le vert et le bleu. En plus des classiques, ils se déclinent désormais dans une plus grande variété de couleurs et de finitions, permettant des personnalisations selon les tendances actuelles du design.



VICTORIAN DREAMS




45,2 x 45,2 BRISTOL
(Pre-Cut 7,37x7,37)




VICTORIAN DREAMS

BEDFORD




45,2 x 45,2 BEDFORD
(Pre-Cut 7,37x7,37)




VICTORIAN DREAMS

MANCHESTER




45,2 x 45,2 MANCHESTER
(Pre-Cut 7,37x7,37)




VICTORIAN DREAMS

QUEEN




45,2 x 45,2 QUEEN
(Pre-Cut 7,37x7,37)


WINDSOR



45,2 x 45,2 WINDSOR
(Pre-Cut 7,37x7,37)



VICTORIAN DREAMS



VICTORIAN DREAMS



VICTORIAN DREAMS

DREAMS
come
. TRUE .

VICTORIAN DREAMS



BRISTOL WHITE · BRISTOL BLUE · QUEEN BLUE

VICTORIAN DREAMS

15

VICTORIAN DREAMS

16



MANCHESTER BLUE

VICTORIAN DREAMS

17


VICTORIAN DREAMS

18



BRISTOL BLACK

VICTORIAN DREAMS



WINDSOR GREEN

VICTORIAN DREAMS



BRISTOL GREEN

VICTORIAN DREAMS

21

VICTORIAN DREAMS

22

¿ Quieres elejir tu propio color? Preguntanos!

Would you like to choose different color? Feel free to ask!


Souhaitez-vous choisir une couleur différente ? N'hésitez pas à demander !

VICTORIAN DREAMS


LOVELY
available
. COLORS .

VICTORIAN DREAMS


BLACK




45,2 x 45,2 BRISTOL BLACK
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**



45,2 x 45,2 BEDFORD BLACK
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**




45,2 x 45,2 QUEEN BLACK
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**




45,2 x 45,2 WINDSOR BLACK
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**


BLUE




45,2 x 45,2 BRISTOL BLUE
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**



45,2 x 45,2 MANCHESTER BLUE
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**




45,2 x 45,2 QUEEN BLUE
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**




45,2 x 45,2 WINDSOR BLUE
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**


GREEN




45,2 x 45,2 BRISTOL GREEN
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**




45,2 x 45,2 MANCHESTER GREEN
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**



45,2 x 45,2 QUEEN GREEN
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**




45,2 x 45,2 WINDSOR GREEN
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**



45,2 x 45,2 BRISTOL OFF WHITE
(Pre-Cut 7,37x7,37)
C2 (R10) · PEI IV · **KM 008**

BORDERS



22,5x22,5 CENEFA BRISTOL
BLACK

C2 (R10) · PEI IV · **KP 003**



22,5x22,5 CENEFA BRISTOL
BLUE

C2 (R10) · PEI IV · **KP 003**



22,5x22,5 CENEFA BRISTOL
GREEN

C2 (R10) · PEI IV · **KP 003**




22,5x22,5 TACO BRISTOL
BLACK

C2 (R10) · PEI IV · **KP 003**




22,5x22,5 TACO BRISTOL
BLUE

C2 (R10) · PEI IV · **KP 003**




22,5x22,5 TACO BRISTOL
GREEN

C2 (R10) · PEI IV · **KP 003**





BRISTOL BLUE · CENEFA BRISTOL BLUE · TACO BRISTOL BLUE

SUGGESTED COLORS FOR JOINTS



Fugabella Color 06 KERAKOLL

For BLACK and BLUE colors



Fugabella Color 22 KERAKOLL

For GREEN colors

WATERFALL

VICTORIAN DREAMS

45,2 x 45,2 cm

Porcelain Tile

Polished Tile

Wall Tile

Matt

Pre-cut Tile

Slight Variation

R10

Pre-Cut 7,37x7,37 cm

Bedford Black
Ker 004

Manchester Blue
Ker 008

Manchester Green
Ker 009

Queen Blue
Ker 005

Queen Green
Ker 006

Queen Yellow
Ker 007

Winfield Black
Ker 002

Winfield Blue
Ker 003

Winfield Green
Ker 001

Bristol Black
Ker 006

Bristol Blue
Ker 004

Bristol Green
Ker 003

Bristol White
Ker 004

22,5x22,5 cm

Canela Bristol Black
Ker 003

Canela Bristol Blue
Ker 003

Canela Bristol Green
Ker 003

Taco Bristol Black
Ker 003

Taco Bristol Blue
Ker 003

Taco Bristol Green
Ker 003

BACK DISPLAY

VICTORIAN DREAMS

33

REAL PICTURE

VICTORIAN DREAMS

34



VICTORIAN DREAMS

· technical **SPECS** ·

VICTORIAN DREAMS

ICONOGRAPHY



 Porcelain Tile



Pre-cut
Tile



 Matt



Floor
Tile



Wall
Tile



Slight
Variation

PACKING

45,2x45,2 cm
(Pre-cut 7,37x7x37 cm)

22,5x22,5 cm

BOX

<u>BOX</u>	
Quantity	6 pcs.
M²	1,23
Kg	24,62

BOX

<u>BOX</u>	
Quantity	12 pcs.
M ²	0,608
Kg	11,90

PALLET

<u>PALLET</u>	
Quantity	33 boxes
M²	40,59
Kg	832.46

PALLET

<u>PALLET</u>	
Quantity	70 boxes
M²	425,25
Kg	853

VICTORIAN DREAMS

TECHNICAL SHEET

ABSORCIÓN AGUA / WATER ABSORTION

	Absorción de Agua / Water Absorption	ISO 10545-3 ASTM C373	< 0,5%
---	--------------------------------------	--------------------------	--------

CARACTERÍSTICAS DIMENSIONALES / BODY TECHNICAL SPECIFICATIONS

	Longitud y Anchura / Lenght and Width	ISO 10545-2 ASTM C499	± 0,6% / ± 2,0mm
	Espesor / Thickness	ISO 10545-2 ASTM C499	± 5% / ± 0,5mm
	Rectitud de los lados / Straightness of sides	ISO 10545-2 ASTM C485	± 0,5% / ± 1,5mm
	Planitud de la superficie / Surfaces Planarity	ISO 10545-2 ASTM C485	± 0,5% / ± 2,0mm
	Ortogonalidad / Squareness - Rectangularity	ISO 10545-2 ASTM C502	± 0,5% / ± 1,5mm
		Apecto superficial / Surface Quality	ISO 10545-2

CARACTERÍSTICAS MECÁNICAS / MECHANICAL TECHNICAL SPECIFICATIONS

	Fuerza de Ruptura / Modulus of Rupture	ISO 10545-4 ASTM C648	> 35 N/mm ²
	Resistencia a la Flexión / Bending Strenght	ISO 10545-4 ASTM C482	> 1300 N
	Resistencia al cuarteo / Crazing resistance	ISO 10545-12 ASTM C1026	Pass
	Dilatación térmica lineal / Lineal Thermal Expansion	ISO 10545-8 ASTM C372	Pass
	Choque térmico / Thermal shock	ISO 10454-9	Pass

CARACTERÍSTICAS SUPERFICIALES / SURFACE CHARACTERISTICS

	Resistencia al Deslizamiento (Pendulo) / Slipperiness (Pendulum test)	UNE-ENV-12633	C2
	Coeficiente de fricción dinámico / Dynamic coefficient of friction (DCOF)	ANSI A 137	≥ 0,42
	Slip resistance test (PTV) - Wet conditions	BS-7976-2	40
	Angulo crítico deslizamiento rampa inclinada (pie calzado) / Critical Angle (footwear)	DIN-51130	R-10
	Resistencia a la abrasión superficial / Surface Abrasion Resistance (PEI)	ISO 10545-7	
	Dureza Superficial / Surface Hardness (MOSH)	UNE 67-101	8

CARACTERÍSTICAS QUÍMICAS / CHEMICAL CHARACTERISTICS

	Resistencia química de alta concentración / High Concentration Chemical Resistance	ISO 10545-13 ASTM C650	HA/HA/HA
	Resistencia química de baja concentración / Low Concentration Chemical Resistance	ISO 10545-13 ASTM C650	LA/LA/LA
	Productos de limpieza domésticos / Domestic cleaning products and swimming pool salts	ISO 10545-13 ASTM C650	A/A
	Resistencia a las Manchas / Stain Resistance	ISO 10545-14 ASTM CTI 81-7	5/ - /5/5

VICTORIAN DREAMS

FITTING RECOMENDATION

You should always read the manufacturer's recommendations and the data sheets for all of the products and materials you use. It is important to have qualified professional tilers carry out the work to ensure each project is performed with the necessary quality and best end result in terms of technical features and appearance.

Select the right type of tile for the project based on the technical and functional requirements of the surface to be tiled. The manufacturer states what each tile is intended to be used for based on its characteristics. Take the following into account when selecting the tile: mechanical requirements, slip resistance, frost resistance, chemical resistance and dimensional characteristics.

After you have selected the right tile for each project, examine the base it will be fitted to and select the adhesive and grout. All of these criteria together will determine the most appropriate tiling technique for each project.

It is very important to adhere to adequate setting times and to allow enough time for the surfaces to cure so they can properly bear the loads and prevent possible stress and structural movement that could be transmitted to the outer layers.

INSTALLATION JOINTS. A physical separation between adjoining tiles required of 1mm/0.04" to offset sizing deviations in ceramic tiles and to absorb stress and disperse vapour from strata beneath. All ceramic tiling must be designed with installation joints suited to the characteristics of the tiles.





Kerlife
CERÁMICAS

Camí de Palos 2, Naves A y B
12200, Onda, Castellón (Spain)

www.kerlifegrupo.com
kerlife@kerlife.com
(+34) 964 104 140