

Matter Under Pressure



Novelties Cersaie 2026

peronda




Matter Under Pressure

peronda

Novelties
Cersaie



2026



Matter Under Pressure
nace de una idea esencial:
la materia revela su valor
cuando atraviesa un proceso
de transformación.

Matter Under Pressure is
based on an essential idea:
matter reveals its value when
it goes through a process of
transformation.

Como ocurre con las gemas,
nuestras colecciones parten de un
origen mineral. La presión y el calor
intervienen en el proceso hasta llevar
esa materia a una nueva condición:
una superficie compacta, definida
y preparada para formar parte del
espacio. Cada pieza conserva algo
de ese recorrido. El diseño interpreta
la materia prima y la convierte

*As with gemstones, our collections
begin from a mineral origin. Pressure
and heat take part in the process,
bringing that matter into a new
condition: a compact and defined
surface, ready to become part of
the space. Each piece preserves
something from that journey.
Design interprets the raw material
and turns it into presence.*

en presencia. Trabajamos el
porcelánico desde esa tensión entre
origen y transformación. La materia
atraviesa un proceso exigente
hasta alcanzar una forma precisa.
En la superficie queda visible ese
recorrido, reinterpretado a través
de acabados que conectan el
carácter mineral del producto
con la arquitectura.

*We approach porcelain through
this tension between origin and
transformation. Matter goes
through a demanding process
until it reaches a precise form.
That journey remains visible on
the surface, reinterpreted through
finishes that connect the mineral
character of the product with
architecture.*

TECHDAYS

the future starts here




SEE YOU IN THE NEXT EDITION

February 1st — 12th 2027

peronda

Strata Tech



Strata Tech fusiona las tecnologías Shaped y Layer Tech de Peronda para crear piezas cerámicas de gran realismo y precisión.

Strata Tech combines Peronda's Shaped and Layer Tech to create ceramic pieces with exceptional realism and precision.

Shaped permite relieves digitales perfectamente integrados con la gráfica, mientras que Layer Tech aporta efectos táctiles y visuales únicos mediante capas superpuestas. Esta combinación redefine el diseño cerámico con texturas naturales y sofisticadas.

El resultado: superficies innovadoras, técnicamente impecables y con un impacto visual que abre nuevas posibilidades en la decoración.

Shaped enables digitally coordinated reliefs, while Layer Tech adds unique tactile and visual effects through layered applications. This fusion redefines ceramic design with sophisticated, natural textures.

The result: innovative surfaces, technically flawless and visually striking, opening new possibilities in interior design.

A fusion
of Depth

NATURAL Y PRECISO


Las texturas y vetas de la naturaleza inspiran su belleza, y Peronda ha desarrollado una tecnología capaz de reproducirlas con precisión milimétrica.

NATURAL AND PRECISE

The textures and veins of nature inspire its beauty, and Peronda has developed a technology capable of reproducing them with millimetric precision.

Los relieves digitales se coordinan perfectamente con la gráfica, creando piezas cerámicas naturales y realistas. No hay ilusiones ópticas: lo que ves y tocas coincide. La veta está donde está el relieve, y el relieve donde está la veta. Esta exactitud técnica permite crear cerámicas que capturan la esencia.

Digital reliefs are perfectly aligned with the graphic design, creating natural and realistic ceramic pieces. There are no optical illusions: what you see and touch is the same. The vein is where the relief is, and the relief is where the vein is. This technical accuracy makes it possible to create ceramics that capture their true essence.



Real
precision

Sharp tech



High
definition contour

SHARP TECH REPRESENTA EL MAYOR SALTO TÉCNICO EN REVESTIMIENTO DE LA ÚLTIMA DÉCADA.

Con este nuevo acabado, Peronda vuelve a situarse a la vanguardia del mercado de la pasta blanca, alcanzando un nivel de definición reservado a los fabricantes más exigentes.

Sharp Tech fusiona técnicas avanzadas de prensado y esmaltado HD para crear relieves ultrasuaves y decorados hiperdefinidos. Su innovación logra un equilibrio perfecto entre la fuerza visual del relieve y un tacto suave, redefiniendo la precisión y la estética en el revestimiento cerámico.

SHARP TECH REPRESENTS THE BIGGEST TECHNICAL LEAP IN WALL COVERINGS OF THE LAST DECADE.

With this new finish, Peronda once again places itself at the forefront of the white body market, reaching a level of definition reserved for the most demanding manufacturers.

Sharp Tech merges advanced pressing techniques and high-definition glazes to create ultra-sharp reliefs and high-precision patterns. It balances strong visual depth with a soft tactile feel, setting a new aesthetic standard for precision in ceramic wall coverings.

A journey through stone

Etape one

**Una ruta que conecta
porcelánico y revestimiento
bajo un mismo lenguaje.**

**A JOURNEY that connects
porcelain and wall tiles
through one shared design
language.**


ETAPE ONE reúne LEMANS, AVIGNON y LOIRE en un recorrido concebido para construir proyectos con continuidad entre suelo y pared. LEMANS, desarrollado en porcelánico, parte de una gráfica de arenisca abujardada y amplía sus posibilidades a través de distintos formatos, acabados y los tonos Sand, Bone y Bourbon. AVIGNON propone una lectura crosscut más concentrada, también en porcelánico, donde Strata Tech potencia la presencia de la materia

ETAPE ONE brings together LEMANS, AVIGNON and LOIRE in a journey designed to create continuity between floors and walls. LEMANS, developed in porcelain stoneware, is based on a bush-hammered sandstone graphic and expands its possibilities through different formats and finishes, available in Sand, Bone and Bourbon. AVIGNON offers a more focused crosscut interpretation, also in porcelain stoneware, where

y permite que la textura adquiera una profundidad especialmente expresiva en Sand y Bone. LOIRE completa la propuesta desde el revestimiento 33x100, compartiendo los tonos Sand y Bone para coordinarse con ambas colecciones y reforzar la conexión visual del conjunto. Sus versiones Fluted y Carved introducen relieve en la pared sin romper la unidad del proyecto. ETAPE ONE convierte la piedra en un sistema coherente, avanzando de una superficie a otra.

Strata Tech enhances the material presence of the surface and gives the texture a deeply expressive depth in Sand and Bone. LOIRE completes the proposal as a 33x100 wall tile collection, sharing Sand and Bone tones to connect naturally with both porcelain ranges. Its Fluted and Carved surfaces introduce relief on the wall without breaking the unity of the project. ETAPE ONE turns stone into a coherent system, made to move from one surface to another.

two porcelain designs
one wall solution





AVIGNON Bone | Porcelain



AVIGNON Sand | Porcelain


Matt
Under Pressure

Floor & wall

Floor & wall

AVIGNON


AVIGNON porcelain



Rectified	100 * 275 cm 39 * 108"	100 * 100 cm 39 * 39"	100 * 100 cm 39 * 39"
Thickness	6 mm	8 mm	8 mm
Patterns	6	12	12
Finished	STRATA BN170	STRATA BN50	ANTISLIP BN52
BONE	45128	45130	45288
SAND	45129	45131	45289

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
STRATA	-	-	-	Class 1	> 0,42
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42



Porcelain
& wall tiles

Matt
Under Pressure

Cersaie
2026

13

AVIGNON SAND 100X275 ST / 100X100 ST
LOIRE SAND 33X100 / LOIRE SAND CARVED 33X100 ▲







LEMANS Bone | Porcelain



LEMANS Sand | Porcelain



LEMANS Bourbon | Porcelain



LEMANS Bone decor (60x120) | Porcelain



LEMANS Sand decor (60x120) | Porcelain



LEMANS Bourbon decor (60x120) | Porcelain






Matt
Under Pressure

Floor & wall

Floor & wall

LEMANS

LEMANS
porcelain



Rectified	100 * 275 cm 39 * 108"	120 * 120 cm 48 * 48"	120 * 120 cm 48 * 48"	100 * 100 cm 39 * 39"	100 * 100 cm 39 * 39"	60 * 120 cm 24 * 48 cm	60 * 120 cm 24 * 48 cm
Thickness	6 mm	9 mm	9 mm	8 mm	8 mm	9 mm	9 mm
Patterns	6	12	12	12	12	12	12
Finished	STRATA	SHAPED	ANTISLIP	SHAPED	ANTISLIP	SHAPED	NATURAL DECOR
	BN170	BN164	BN165	BN166	BN167	BN173	BN174
BONE	45125	45089	45092	45215	45218	45242	45247
BOURBON	45126	45090	45093	45216	45219	45243	45248
SAND	45127	45091	45094	45214	45217	45241	45246

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	SHADE VARIATION
STRATA	-	-	-	Class 1	> 0,42	
SHAPED	R9	-	-	Class 1	> 0,42	
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	

Porcelain
& wall tiles

Mattone
Under Pressure

21

Cersaie
2026

LEMANS BONE 100X27 5ST / 100X100 ST / 60X120 DECOR ▲



▼ LOIRE SAND CARVED 33X100 / LOIRE SAND 33X100



Matt
Under Pressure



LOIRE Bone | wall



LOIRE Sand | wall




LOIRE Bone Carved | wall



LOIRE Sand Carved | wall



LOIRE Bone Fluted | wall



LOIRE Sand Fluted | wall

White body
wall tile

White body
wall tile

LOIRE

LOIRE WALL white body wall tile

		 CARVED	 FLUTED	one way →
Rectified	33,3 * 100 cm 13 * 39"	33,3 * 100 cm 13 * 39"	33,3 * 100 cm 13 * 39"	
Thickness	8,6 mm	9,8 mm	9,8 mm	
Patterns	20	20	20	
Finished	NATURAL	SHARP CARVED	SHARP FLUTED	
	BN65	BN66	BN66	
BONE	45235	45238	45239	
SAND	45236	45237	45240	

SHADE
VARIATION



Porcelain
& wall tiles

Matter
Under Pressure



Wall tiles

Wall

THE OMNI COLLECTION

Novelties


Novelties

OMNI nace como una superficie de vocación universal, una interpretación cementosa de estética minimalista concebida para integrarse con naturalidad en todo tipo de espacios. Su gráfica suavemente difuminada y su acabado de apariencia sedosa crean un fondo sereno y equilibrado, libre de contrastes excesivos, que aporta textura y profundidad sin imponerse sobre el resto de materiales. En los tonos White y Sand, la colección construye una base luminosa, cálida y especialmente versátil para la arquitectura contemporánea.

Su carácter esencial se amplía mediante diferentes propuestas de relieve que permiten introducir ritmo y personalidad manteniendo intacta la neutralidad de la colección. Las versiones Alvea, Canale y Riga exploran geometrías y estructuras lineales capaces de transformar la incidencia de la luz sobre la pared, ofreciendo diferentes grados de expresión dentro de un mismo lenguaje matérico. OMNI se convierte así en un lienzo cerámico flexible, pensado para acompañar el proyecto y conectar materiales, colores y volúmenes con absoluta naturalidad.

OMNI is conceived as a surface with a universal vocation: a minimalist, cement-inspired design created to blend naturally into a wide variety of interiors. Its softly diffused graphics and silky-looking finish create a calm, balanced backdrop, free from excessive contrasts, adding texture and depth without competing with the surrounding materials. Available in White and Sand, the collection provides a luminous, warm and highly versatile foundation for contemporary architecture. Its essential character is expanded through a series of relief designs that introduce rhythm and personality

while preserving the collection's inherent neutrality. Alvea, Canale and Riga explore geometric and linear structures that transform the way light interacts with the wall, offering different levels of expression within the same material language. OMNI thus becomes a flexible ceramic canvas, designed to accompany the project and connect materials, colours and volumes with effortless coherence.





OMNI White | wall




OMNI Sand | wall



OMNI White Alvea | wall



OMNI Sand Alvea | wall



OMNI White Canale | wall



OMNI Sand Canale | wall



OMNI White Riga | wall



OMNI Sand Riga | wall

Matt
Under Pressure




White body
wall tile

White body
wall tile

OMNI

OMNI WALL

white body wall tile

	 NATURAL 9 mm 60 * 120	 ALVEA	 CANALE	 RIGA
Rectified	60 * 120 cm 24 * 48 cm	60 * 120 cm 24 * 48 cm	60 * 120 cm 24 * 48 cm	60 * 120 cm 24 * 48 cm
Thickness	9 mm	12 mm	12 mm	12 mm
Patterns	12	12	12	12
Finished	NATURAL	NATURAL ALVEA	NATURAL CANALE	NATURAL RIGA
SAND	BN53	BN55	BN55	BN55
WHITE	45279	45283	45281	45285
	45280	45284	45282	45286

SHADE
VARIATION







Porcelain & wall tiles



Floor & wall

FS

Novelties


Novelties

Francisco Segarra continúa explorando una forma de entender la cerámica en la que tradición, materia y expresión gráfica conviven desde una mirada contemporánea. El pequeño formato, la textura, el color y la imperfección se convierten en herramientas de diseño capaces de aportar una identidad muy reconocible a pavimentos y revestimientos.

Para Cersaie 2026, el universo FS incorpora una nueva colección, FS REVEAL y amplía FS OLDTOWN con nuevas referencias. Dos propuestas diferentes que exploran respectivamente la geometría cerámica y la combinación de materiales y colores, manteniendo el carácter singular y el enfoque creativo que Francisco Segarra imprime a la colección FS.

Francisco Segarra continues to explore a vision of ceramics in which tradition, materiality and graphic expression come together through a contemporary perspective. Small formats, texture, colour and imperfection become design tools, bringing a highly distinctive identity to floors and walls.

For Cersaie 2026, the FS universe welcomes a new collection, FS REVEAL, while FS OLDTOWN expands with the addition of new products. These two distinct proposals explore ceramic geometry and the combination of materials and colours respectively, while preserving the distinctive character and creative approach that Francisco Segarra brings to the FS collection.





Matters
Under Pressure

Floor & wall



porcelain
tile


FS OLDTOWN



FS OLD PEARL ▲



FS OLD IVORY ▲



FS OLD RUBY ▲




FS OLD JADE ▲



FS OLDTOWN MARBLE ▲



FS OLDTOWN CONCRETE ▲



No rectified 22,3 * 22,3 cm | 8,7 * 8,7"

Thickness 9 mm

Patterns 20

Finished SHAPED

BN168

FS OLDTOWN CONCRETE 43745

FS OLDTOWN MARBLE 43744

FS OLD JADE 44784

FS OLD IVORY 44785

FS OLD PEARL 44786

FS OLD RUBY 44783

Posibles variaciones dimensionales. En damero, junta recomendada: 3-5 mm.
Possible dimensional variations. For checkerboard installation, recommended joint width: 3-5 mm.

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	SHADE VARIATION
SHAPED	R10	A+B	+ 36 Wet	Class 2	> 0,42	



Porcelain tiles



Cersaie
2026

FS OLD PEARL / FS OLDTOWN MARBLE 22X22 ▲

Mattera
Under Pressure



45

FS OLDTOWN MARBLE / FS OLD PEARL 22X22 ▲



Matters
Under Pressure

Floor & wall

porcelain
tile

FS REVEAL



FS REVEAL SILVER ▲



FS REVEAL GREEN ▲



FS REVEAL WHITE ▲



FS REVEAL MOCHA ▲



No rectified	22,3 * 22,3 cm 8,7 * 8,7"
Thickness	9 mm
Patterns	20
Finished	NATURAL
	BN169
FS REVEAL GREEN	45059
FS REVEAL MOCHA	44788
FS REVEAL SILVER	45060
FS REVEAL WHITE	44787

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	SHADE VARIATION
NATURAL	R10	A+B	+ 36 Wet	Class 2	> 0,42	

FS REVEAL WHITE 22X22 ▼



FS REVEAL SILVER 22X22 ▲



FS REVEAL MOCHA 22X22 ▲


Multiple solutions



Floor

BELOSSA

simplify your space



Belossa es una firma especializada en pavimentos vinílicos rígidos SPC (Solid Polymer Composite). Una nueva generación de suelos reforzados con un núcleo de origen mineral que aporta una mayor consistencia, rigidez, impermeabilidad y facilidad de instalación.

Belossa specialises in SPC (Solid Polymer Composite) rigid vinyl flooring. A new generation of floors reinforced with a core of mineral origin that provides greater consistency, rigidity, impermeability and ease of installation.



FLAME
RETARDANT



IMPACT
RESISTANT



ASSEMBLY &
DISASSEMBLY



100%
WATERPROOF



ACOUSTIC
INSULATION



EFFORTLESS



UV
RESISTANT



SUITABLE FOR
UNDERFLOOR
HEATING



ANTIBACTERIAL



STAIN
RESISTANT



NO WORKS



CLICK DROP
LOCK 14F

Floor SPC



Floors SPC

AURA

1530 x 230 x 5 mm



AURA HONEY ▲



AURA KALUA ▲

LEVIA

615 x 1230 x 7,5 mm



LEVIA BEIGE ▲




LEVIA SAND ▲

AURA
SPC



Rectified	23 * 153 cm 9 * 60"
Thickness	5,5 mm
Patterns	10
	BE-4
HONEY	45117
KALUA	45118

LEVIA
SPC



Rectified	61,5 * 123 cm 24 * 48"
Thickness	7,5 mm
Patterns	4
	BE-5
BEIGE	45421
SAND	45420




Accede al código QR y visualiza el manual técnico de colocación SPC. Enter with the QR code and view the technical manual SPC.

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

PRODUCT	SIZE (L*W*T) including backing	Wear Layer	Backing	Bevel	Locking system	Surface	Coating	Gloss Level (%)	Be-Lite	Class
SPC - AURA	5 * 232 * 1532	0.55	1 mm EVA-C	Cut bevel		U embossed	Antimicrobial UV	6.5±1.5%		31
SPC - LEVIA	7.5 * 615 * 1230	0.70	1 mm IXPE-F Black	Painted bevel	tight lock	Marble	Anti-bacterial UV	6.5±1.5%	solid	34





Feb 26

NOV
E
D
A
D
E
S



ARDARA White | Porcelain



ARDARA Sand | Porcelain



ARDARA Caramel | Porcelain



ARDARA White decor (60x120) | Porcelain



ARDARA Sand decor (60x120) | Porcelain



ARDARA White | wall



ARDARA Sand | wall



ARDARA White Stripes | wall



ARDARA Sand Stripes | wall



ARDARA White Diamond | wall



ARDARA Sand Diamond | wall

Matt
Under Pressure

Floor & wall



Floor & wall

ARDARA




ARDARA
porcelain

ARDARA WALL
white body wall tile



Rectified	100 * 275 cm 39 * 108"	100 * 100 cm 39 * 39"	100 * 100 cm 39 * 39"	60 * 120 cm 24 * 48 cm	60 * 120 cm 24 * 48 cm
Thickness	6 mm	8 mm	8 mm	9 mm	9 mm
Patterns	6	15	15	12	12
Finished	STRATA	ALL IN ONE	SHAPED	SHAPED	NATURAL DECOR
	BN170	BN167	BN166	BN174	BN173
CARAMEL	43988	43991	43994	-	-
SAND	43987	43990	43993	44007	44010
WHITE	43986	43989	43992	44008	44009



33,3 * 100 cm 13 * 39"	33,3 * 100 cm 13 * 39"	33,3 * 100 cm 13 * 39"
8,6 mm	9,8 mm	9,8 mm
12	12	12
NATURAL	SHARP STRIPES	SHARP DIAMOND
BN65	BN66	BN66
-	-	-
43748	43982	43980
43746	43983	43981

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	SHADE VARIATION
STRATA	-	-	-	Class 1	> 0,42	
SHAPED	R9	-	-	Class 1	> 0,42	
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	

Porcelain
& wall tiles

ARDARA SAND 100X275 ST / 100X100 AS ▼



Cersaie
2026

ARDARA WHITE / STRIPE 33X100 / CARAMEL 100X100 AS ▲



Mattiere
Under Pressure

61

ARDARA CARAMEL 100X275 SP ▲



FS IGNIS


FS WORKSHOP



FS IGNIS ICE ▲






FS IGNIS LAVA ▲



FS IGNIS MUSTARD ▲



FS IGNIS OLIVE ▲



FS WORKSHOP AQUA ▲





FS WORKSHOP MARIGOLD ▲



FS WORKSHOP CARIBBEAN ▲




FS WORKSHOP MOON ▲



No rectified	22,3 * 22,3 cm 8,7 * 8,7"
Thickness	9 mm
Patterns	20
Finished	NATURAL
	BN177
FS IGNIS ICE	43741
FS IGNIS LAVA	43742
FS IGNIS MUSTARD	43743
FS IGNIS OLIVE	43953

SHADE VARIATION







No rectified	45 * 45 cm 18 * 18"
Thickness	9,5 mm
Patterns	15
Finished	NATURAL
	BN14
FS WORKSHOP AQUA	43740
FS WORKSHOP MARIGOLD	43849
FS WORKSHOP CARIBBEAN	43850
FS WORKSHOP MOON	43739





CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	SHADE VARIATION
SHAPED	R9	-	+ 36 Wet	Class 2	> 0,42	

PIEZA COMPLEMENTARIA | COMPLEMENTARY PIECE

PL. /18. Peldaño técnico L L Technical stair - tread	PT. Peldaño técnico Technical stair - tread	PTF. Peldaño técnico frontal Frontal technical stair - tread			
 18 cm 30 * 100 cm 12 * 39" P74 30 * 151 cm 12 * 59" P80 30 * 120 cm 12 * 48" P75 30 * 90 cm 12 * 36" P76 30 * 60 cm 12 * 24" P54	 30 * 100 cm 12 * 39" P74 30 * 151 cm 12 * 59" P80 30 * 120 cm 12 * 48" P75 30 * 90 cm 12 * 36" P76 30 * 60 cm 12 * 24" P54 a = espesor thickness b = a*3	 30 * 100 cm 12 * 39" P76 30 * 151 cm 12 * 59" P75 30 * 120 cm 12 * 48" P74 30 * 90 cm 12 * 36" P70 30 * 60 cm 12 * 24" P87 a = espesor thickness b = a*3			
PR. Peldaño Romo Rounded stair - tread	R. Rodapie - Skirting	S.K.I.	S.K.D.	Z.R.I.	Z.R.D.
 30 * 100 cm 12 * 39" P85 30 * 151 cm 12 * 59" P54 30 * 120 cm 12 * 48" P77 30 * 90 cm 12 * 36" P61 30 * 60 cm 12 * 24" P64	 8 * 120 cm 3 * 48" P49 8 * 100 cm 3 * 39" P45 8 * 90 cm 3 * 36" P44 8 * 60 cm 3 * 24" P34 8 * 45 cm 3 * 18" P29	 8 * 30 cm 3 * 12" P55			


PIEZA ESPECIAL PISCINA | SPECIAL PIECE POOL

P.V. Peldaño Vierteagua Pool Coping	ANG.P.V. Peldaño vierteagua ángulo Pool Coping internal corner	E.P.V. Peldaño vierteagua esquina Pool Coping external corner
 20 cm 20 * 120 cm 8 * 48" P70 20 * 100 cm 8 * 39" P82 20 * 100 * 2 cm 8 * 39" P82 20 * 90 cm 8 * 36" P81 20 * 60 cm 8 * 24" P61	 20 cm 20 * 120 cm 8 * 48" P86 20 * 100 cm 8 * 39" P80 20 * 100 * 2 cm 8 * 39" P86 20 * 90 cm 8 * 36" P75 20 * 60 cm 8 * 24" P70 (PACK 2 units)	 20 * 120 cm 8 * 48" P86 20 * 100 cm 8 * 39" P80 20 * 100 * 2 cm 8 * 39" P86 20 * 90 cm 8 * 36" P75 20 * 60 cm 8 * 24" P70 (PACK 2 units)
REJ. Rejilla Drainage grate	ANG.REJ. Ángulo rejilla Angle corner drainage grate	T.REJ. Taco rejilla Square corner drainage grate
 15 cm 15 * 60 * 1,8 cm 6 * 24" P54 15 * 90 * 1,8 cm 6 * 36" P76 15 * 50 * 1,6 cm 6 * 20" P87 15 * 50 * 2 cm 6 * 20" P54	 15 * 60 * 1,8 cm 6 * 24" P75 15 * 90 * 1,8 cm 6 * 36" P57 15 * 50 * 1,6 cm 6 * 20" P74 15 * 50 * 2 cm 6 * 20" P86 (PACK 2 units)	 15 * 15 * 1,8 cm 6 * 6" P85 15 * 15 * 1,6 cm 6 * 6" P66 15 * 15 * 2 cm 6 * 6" P71

EMBALAJE PLACA | SLAB PACKING

1 PLACA SLAB			CAJÓN MADERA WOODEN CRATE			CONT./20' 25000 KG.			CONT./40' 25000 KG.		
cm	m²	kg	Placas	m²	kg	Cajones	m²	kg	Cajones	m²	kg
100 * 275 * 0,6	2,75	38,5	20	55	869	24	1320	20856	29	1595	25201
inch	ft²	lb	Slabs	ft²	lb	Crates	ft²	lb	Crates	ft²	lb
39 3/8 * 108 1/4 * 1/4	29,6	84,88	20	592	1916	24	14208,4	45980	29	17168,4	55558,7
1 PLACA SLAB			CABALLETE A-FRAME			CONT./20' 25000 KG.			CONT./40' 25000 KG.		
cm	m²	kg	Placas	m²	kg	Caballlete	m²	kg	Caballlete	m²	kg
100 * 275 * 0,6	2,75	38,5	50	137,5	2075	6	825	12450	12	1650	24900
inch	ft²	lb	Slabs	ft²	lb	A-frame	ft²	lb	A-frame	ft²	lb
39 3/8 * 108 1/4 * 1/4	29,6	84,88	50	1480	4574,6	6	8880	27447,5	11	17760,4	54895,1

CAJÓN DE MADERA
WOODEN CRATE




Tamaño aprox. cm.

288 * 112 * 30,5 cm

Approx. inch. sizes

113 3/8 * 44 1/8 * 12

CABALLETE
A-FRAME



Tamaño aprox. cm.

285 * 75 * 130 cm

Approx. inch. sizes

112 1/4 * 29 1/2 * 51 1/8"



Accede al código QR y visualiza el manual técnico de colocación de gran formato.
Enter with the QR code and view the technical manual for laying slabs.

EMBALAJE PAVIMENTO | FLOOR PACKING

FORMATO SIZES	CAJAS BOXES			PALLET (P.)			CONT./20' 21500 KG.	CONT./20' 24000 KG.
	Piezas	m²	kg	Cajas	m²	kg	Tamaño aprox. cm	m²
cm								
100 * 100 * 0,8	2	2	39,3	32	64	1299,6	112 * 112 * 86	1058,79
100 * 100 * 2	1	1	49,2	24	24	1222,8	112 * 112 * 77	421,98
120 * 120 * 0,9	1	1,44	28,35	40	57,6	1190	136 * 122 * 72	621 (12 P.)
22,3 * 22,3 * 0,95	13	0,65	12,58	90	58,50	1155,64	80 * 120 * 84	1088,36
45 * 45 * 0,95	5	1	21,15	66	66	1420	80 * 120 * 105	990
60 * 120 * 0,9	2	1,44	30,2	30	43,2	929,8	80 * 120 * 75	998,92
inch	units	ft²	lb	Boxes	ft²	lb	Sizes Inch approx.	ft²
39 3/8 * 39 3/8 * 5/16	2	21,53	86,64	32	688,89	2865,12	44 1/16 * 44 1/16 * 33 7/8	11396,71
39 3/8 * 39 3/8 * 13/16	1	10,76	108,47	24	258,33	2695,81	44 1/16 * 44 1/16 * 30 5/16	4542,15
47 1/4 * 47 1/4 * 3/8	1	15,50	62,50	40	620,00	2623,50	53 9/16 * 48 * 28 3/8	6684,4 (12 P.)
8 3/4 * 8 3/4 * 3/8	13	6,99	27,73	90	629,68	2547,75	31 1/2 * 47 1/4 * 33 1/16	11715
17 11/16 * 17 11/16 * 7/16	5	10,76	46,53	66	710,16	3124,00	31 1/2 * 47 1/4 * 41 5/16	10652,40
23 5/8 * 35 7/16 * 3/8	2	11,62	45,06	48	557,80	2215,40	35 7/16 * 47 1/4 * 29 1/2	12825,92

EMBALAJE REVESTIMIENTO | WALL PACKING

FORMATO SIZES	CAJAS BOXES			PALLET				CONT./20' 21500 KG.	CONT./20' 24000 KG.
	Piezas	m²	kg	Cajas	m²	kg	Tamaño aprox. cm	m²	m²
cm									
60 * 120 * 0,9	2	1,44	23,92	30	43,2	741,4	80 * 120 * 75	1252,77	1398,44
60 * 120 * 1,2	2	1,44	26,32	27	38,88	734,44	80 * 120 * 75	1138,17	1270,52
33,3 * 100 * 0,86	6	2	30,40	21	42	663	110 * 118 * 48	1344	1512
33,3 * 100 * 0,98	5	1,67	27,90	21	35,07	611	110 * 118 * 48	1227	1368
inch	units	ft²	lb	Boxes	ft²	lb	Sizes Inch approx.	ft²	ft²
23 5/8 * 35 7/16 * 3/8	2	15,5	52,7436	30	465	1634,79	35 7/16 * 47 1/4 * 29 1/2	13484,64	15052,62
23 5/8 * 35 7/16 * 1/2	2	15,5	58,0356	27	418,5	1619,44	35 7/16 * 47 1/4 * 29 1/2	12251,18	13675,74
13 1/8 * 39 3/8 * 5/16	6	21,52	67,02	21	452,08	1461,66	41 5/16 * 46 7/16 * 18 7/8	14466,7	16275,03
13 1/8 * 39 3/8 * 3/8	5	17,97	61,50	21	377,49	1347,02	41 5/16 * 46 7/16 * 18 7/8	13207,32	14725,03

EMBALAJE BELOSSA | PACKING

FORMATO SIZES	CAJAS BOXES			PALLET (P.)				CONT./20' 21500 KG.	CONT./20' 24000 KG.
	Piezas	m²	kg	Cajas	m²	kg	Tamaño aprox. cm	m²	m²
cm									
61,5 * 123 * 0,75	2	1,51	18,20	27	40,77	515,2	70 * 130 * 50	1701,39	1899,22
23,2 * 153,2 * 0,55	7	2,49	21,06	48	119,52	1100,88	90 * 102 * 158	2334,21	2605,62
inch	units	ft²	lb	Boxes	ft²	lb	Sizes Inch approx.	ft²	ft²
24 1/4 * 48 3/8 * 1/4	2	16,25	40,12	27	438,84	1135,82	27 1/2 * 51 1/8 * 19 3/4	18313,6	20443,03
9 1/8 * 60 1/4 * 1/4	7	26,8	46,42	48	1286,5	2427,02	35 3/8 * 40 1/8 * 62 1/4	25125,22	28046,6

Las baldosas cerámicas una vez que llegan al final de su vida útil son un residuo inerte, que para su correcta gestión debe ser entregado a un gestor autorizado de residuos, favoreciendo su reciclado.
Once ceramic tiles reach the end of their useful life, they are inert waste. For their proper management, they should be given to an authorized waste management body for recycling purposes.



El papel utilizado para producir este catálogo proviene de bosques gestionados de forma responsable y de otras fuentes controladas que garantizan la protección del medio ambiente.
The paper used to produce this catalog comes from responsibly managed forests and other controlled sources for greater environmental protection.

Debido a los procesos de impresión, los colores que aparecen en este catálogo deben considerarse aproximados, y no exactos. All colours and hues appearing in this catalogue should be considered approximate, only in view of the printing processes involved.

Los derechos de todos los contenidos (textos, fotografías, dibujos, diseños etc) del presente catálogo son propiedad de PERONDA GROUP, S.A (o en su defecto, cuentan con los correspondientes permisos y autorizaciones de sus titulares). No está permitida la reproducción total o parcial de esta publicación, ni su tratamiento informático, ni la transmisión de ninguna forma o por cualquier medio, ya sea electrónico, mecánico, por fotocopia, por registro u otros medios, sin el permiso previo y por escrito de los titulares del copyright. The rights of all contents (texts, photographs, drawings, designs, etc.) of this catalogue remain the property of PERONDA GROUP, S.A (or, failing that, they have the corresponding permissions and authorizations of the owners). No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the copyright holders.

